

# BUILT TO PROTECT.

## LEARN MORE ABOUT + OUR PRODUCTS



[www.peli.com](http://www.peli.com)



AVAILABLE IN 18 LANGUAGES!

[www.pelicalogue.com](http://www.pelicalogue.com)



[www.peli.com/webinars](http://www.peli.com/webinars)



### EMEA

#### EUROPE, MIDDLE EAST & AFRICA HEADQUARTERS

PELI PRODUCTS, S.L.U.  
C/ Provença, 388 Planta 7  
08025 • Barcelona, Spain  
Tel +34 934 674 999  
Fax +34 934 877 393  
[www.peli.com](http://www.peli.com)

#### FRANCE

PELI PRODUCTS FRANCE  
S.A.S.  
20/22 Rue des Petits Hôtels  
75010 Paris, France  
Tel +33 (0)1 44 83 95 63  
Fax +33 (0)1 44 83 95 68  
[www.peli.com](http://www.peli.com)

#### UK

PELI HARDIGG UK  
Unit 4, Brookfield Industrial Estate  
Leacon Road  
Ashford Kent TN23 4TU  
Tel + 44 (0) 1233 895 895  
Fax +44 (0) 1233 895 899  
[www.peli.com](http://www.peli.com)

### U.S.A.

#### U.S.A. & GLOBAL HEADQUARTERS

23215 Early Avenue  
Torrance, CA 90505 USA  
Tel 310.326.4700  
800.473.5422 (Outside CA)  
Fax 310.326.3311  
[www.pelican.com](http://www.pelican.com)

#### GERMANY

PELI PRODUCTS GERMANY GmbH  
Düsseldorf Kö-Bogen  
Business Center  
Königsallee 2b, 5th Floor  
40212 Düsseldorf, Germany  
Tel +49 (0) 211 882 42 401  
Fax +49 (0) 211 882 42 200  
[www.peli.com](http://www.peli.com)

#### UAE

PELICAN PRODUCTS FZE  
JAFZA One Building A office 1511/1512  
Jebel Ali Free Zone gate 5  
P.O.Box 261008  
Dubai – United Arab Emirates  
Tel +971 4 8876550  
Fax +971 4 8876549  
[www.pelican.com](http://www.pelican.com)  
[www.peli.com](http://www.peli.com)

#### POLSKA

VANTORO  
Al. Armii Krajowej 61  
50-541 Wrocław  
Tel. 71 792 6015  
Fax 71 792 7071  
[www.vantoro.pl](http://www.vantoro.pl)  
[zamowienia@vantoro.pl](mailto:zamowienia@vantoro.pl)

#### PELICAN HARDIGG

147 North Main Street  
South Deerfield, MA 01373  
Tel (800) 542 73 44  
Fax (413) 665 8330  
[www.pelican.com](http://www.pelican.com)

\* We also have offices in Canada, Japan, China, Australia, South Korea and India

#### INJECTION MOULDED CASES - PELI LIMITED LIFETIME\* GUARANTEE

Peli Products, S.L.U. ("Peli") guarantees its injection moulded products for a lifetime\* against breakage or defects in workmanship. Peli™ injection molded cases are guaranteed to be watertight to a depth of 3.3 feet (1 meter) for 30 minutes (IP 67) if properly closed with undamaged o-ring in place unless otherwise stated. To the extent permitted by law, Peli's liability is limited to the case and not its contents or foam. All warranty claims of any nature are barred if the case has been altered, damaged or in any way physically changed, or subjected to abuse, misuse, negligence or accident.

For complete warranty details, see [www.peli.com/warranty](http://www.peli.com/warranty)

\* Lifetime Guarantee not applicable where prohibited by law.



## PELI™ AIR CASES CATALOGUE



MILITARY GRADE PROTECTION



DUST PROTECTION



WATERTIGHT



Follow us on:



©2017 Peli Products, S.L.U. All trademarks are registered and/or unregistered trademarks of Pelican Products, Inc., its subsidiaries and/or affiliates. All details included in this catalogue are correct when printed but for most updated information please visit [www.peli.com](http://www.peli.com) and [www.pelicalogue.com](http://www.pelicalogue.com).  
Part No. 0050-100-000E JAN 17



Check out our 40 Years of Protection video:



LIFETIME GUARANTEE\* - PROVEN FOR OVER 40 YEARS

# TABLE + OF CONTENTS

<b>FEATURES</b>	<b>3</b>
<b>PELI AIR CASES</b>	<b>4-5</b>
<b>CASES SPECIFICATIONS</b>	<b>5</b>
<b>PROTECTION SOLUTIONS</b>	<b>6-7</b>



Uros Podlogar, professional photographer

## FEATURES

### + THE SCIENCE BEHIND STRENGTH AND LIGHTNESS

The Pelic™ Air case has been designed to cut weight without compromising durability.

Our engineers have revolutionised the protector case by reducing structural waste while preserving Peli's legendary standards of strength. In development for years, the design team challenged the status quo to "add lightness" in every detail.

Here are some important reasons why Pelic™ Air cases are both strong and light:

- Moulded from the next generation of Peli's lightweight HPX™ resin, a proprietary formula that rebounds without breaking
- Honeycomb structural elements that are actually stronger than solid polymer material
- Super-stiff "full box" sections engineered to create hollow parts

### + EXTREME ENGINEERING-UP TO 40% LIGHTER

Pelic™ Air	Weight NF (kg)	Peli Equivalent	Weight NF (kg)	% var.
1485	2.1	1500	2.9	-26%
1525	2.7	1520	3.8	-28%
1535	3.9	1510	5.4	-28%
1555	3.3	1550	4.8	-35%
1605	4.2	1600	5.9	-33%
1615	6.4	1670	10.4	-40%

\* Case weights are actual and percentage variance is adjusted for interior volume.



### + UP TO THE TEST

It wouldn't be a Pelic™ case if you couldn't drop it, kick it and run over it – and the Pelic™ Air case is no different.

- Drop-tested on concrete with loads from 1,8 m on all sides and corners
- Submerged for 30 minutes at a depth of one meter
- Wheels are roll tested over 1 km with loads at 8 km/h
- 12,7 kg steel dart dropped on all sides from 1 m

### + SHARED FEATURES ACROSS ALL MODELS

- A** Watertight O-Ring Gasket
- B** New Style "Conic Curve" Lid Shape
- C** Super-light Proprietary HPX2 Polymer
- D** Stainless Steel Hasp Protectors
- E** Proven Tough Double-Throw Latches
- F** Automatic Purge Valve Balances Air Pressure
- G** New Removable Polycarbonate Card Holder, with Front or Side Placement
- H** Rubber Overmoulded Handles
- Crushproof and Dustproof



PELI AIR FEATURES

VISIT [WWW.PELI.COM](http://WWW.PELI.COM) FOR FURTHER INFORMATION

# PELI™ AIR

Meet the lightest premium Protector™ case on the planet. Up to 40% lighter\* than other polymer cases. Peli™ Air cases are the first in a series of remarkable innovations engineered by Peli, the pioneers of protective cases. For over 40 years Peli has designed and crafted the most influential protective cases in the world, and we're just getting started. With the launch of the Peli™ Air line of cases, we're redefining the future of protection with a remarkable union of light and tough.



\*Check the specs for the exact weight of each model



1615 AIR  
WHEELED CHECK-IN

1535 AIR  
WHEELED CARRY-ON

## + TRAVEL LIGHT

The world is in a hurry and Peli™ Air cases are setting the pace with two models optimised for travel. We verified the airline rules for maximum overhead and check-in dimensions\*, and perfected two cases for pros on the move. Both cases include a rugged extendable handle that keeps the case clear of your heels when walking, and smooth rolling ball bearing wheels that are nice and quiet.

Getting through the airport with a Peli™ Air case is a lot easier, and saves money on over-weight luggage fees, too.

\* Check with your airline for exact measurement requirements.

### 1485 AIR

**INTERNAL DIMS:**  
45.09 x 25.86 x 15.62 cm  
(17.75 x 10.18 x 6.15")

**EXTERNAL DIMS:**  
48.69 x 32.51 x 17.50 cm  
(19.17 x 12.80 x 6.89")

**WEIGHT:**  
2.16 kg (4.57 lbs.)

- Business card holder
- Automatic purge valve



### 1525 AIR

**INTERNAL DIMS:**  
52.07 x 28.70 x 17.15 cm  
(20.50 x 11.31 x 6.75")

**EXTERNAL DIMS:**  
55.78 x 35.48 x 19.02 cm  
(21.96 x 13.97 x 7.49")

**WEIGHT:**  
2.72 kg (5.99 lbs)

- Business card holder
- Automatic purge valve



### 1535 AIR WHEELED CARRY-ON\*

**INTERNAL DIMS:**  
51.79 x 28.45 x 18.29 cm  
(20.39 x 11.20 x 7.21")

**EXTERNAL DIMS:**  
55.78 x 35.50 x 22.81 cm  
(21.96 x 13.97 x 8.98")

**WEIGHT:**  
3.95 kg (8.69 lbs)

- Maximum airline carry-on size\*
- Quiet rolling stainless-steel bearing wheels
- Extending trolley handle
- Business card holder
- Automatic purge valve



### 1555 AIR

**INTERNAL DIMS:**  
58.42 x 32.39 x 19.05 cm  
(23.00 x 12.75 x 7.50")

**EXTERNAL DIMS:**  
62.89 x 39.27 x 20.93 cm  
(24.76 x 15.46 x 8.24")

**WEIGHT:**  
3.35 kg (7.37 lbs)

- Business card holder
- Automatic purge valve



### 1605 AIR

**INTERNAL DIMS:**  
66.04 x 35.56 x 21.29 cm  
(26.00 x 14.00 x 8.38")

**EXTERNAL DIMS:**  
73.33 x 42.60 x 23.16 cm  
(28.87 x 16.77 x 9.12")

**WEIGHT:**  
4.22 kg (9.28 lbs)

- Business card holder
- Automatic purge valve



### 1615 AIR WHEELED CHECK-IN\*

**INTERNAL DIMS:**  
75.16 x 39.37 x 23.83 cm  
(29.59 x 15.50 x 9.38")

**EXTERNAL DIMS:**  
82.80 x 46.74 x 27.99 cm  
(32.58 x 18.40 x 11.02")

**WEIGHT:**  
6.39 kg (14.06 lbs)

- Maximum airline check-in size\*
- Quiet rolling stainless-steel bearing wheels
- Extending trolley handle
- Business card holder
- Automatic purge valve



## PELI™ AIR CASE SPECIFICATIONS

CAT. NO.	INTERIOR DIMENSIONS	EXTERIOR DIMENSIONS	LID DEPTH	BOTTOM DEPTH	WEIGHT	BUOYANCY	COLOURS
1485 AIR	45.09 x 25.86 x 15.62 cm	48.69 x 32.51 x 17.50 cm	4.6 cm	11 cm	2.16 kg	18.6 kg	■ ■ ■ ■
1525 AIR	52.07 x 28.70 x 17.15 cm	55.78 x 35.48 x 19.02 cm	5.1 cm	12.1 cm	2.72 kg	26.3 kg	■ ■ ■ ■
1535 AIR	51.79 x 28.45 x 18.29 cm	55.78 x 35.50 x 22.81 cm	5.1 cm	13.2 cm	3.95 kg	29.4 kg	■ ■ ■ ■
1555 AIR	58.42 x 32.39 x 19.05 cm	62.89 x 39.27 x 20.93 cm	5.1 cm	14 cm	3.35 kg	36.8 kg	■ ■ ■ ■
1605 AIR	66.04 x 35.56 x 21.29 cm	73.33 x 42.60 x 23.16 cm	5.1 cm	16.2 cm	4.22 kg	51.2 kg	■ ■ ■ ■
1615 AIR	75.16 x 39.37 x 23.83 cm	82.80 x 46.74 x 27.99 cm	5.1 cm	18.7 cm	6.39 kg	76.7 kg	■ ■ ■ ■

The following certificates apply to all Peli™ Air Cases: IP67, DEF STAN 81-41

\* Check with your airline for exact measurement requirements.


# PELI™ AIR PROTECTION SOLUTIONS

Peli™ Air Cases are available empty or with any of the following protection solutions.



## + PREMIUM PROTECTION: PELI+TREKPAK™

The TrekPak™ system uses pre-installed wall sections, divider panels, locking pins and an infallible cutting tool. Just lay your gear in the case, measure and cut the divider sections and lock them in place with the steel U-pins. We include extra divider material so you can change your mind, plus divider panels are also available separately so you can reconfigure your dividers anytime.



## + EFFORTLESS PROTECTION— EASY PICK N PLUCK™

Peli™ Air cases have been designed to protect equipment of all kinds, no matter the size or shape. Most Peli protector cases come with our Pick N Pluck™ shock-absorbent foam, pre-scored in tiny cubes. The item is placed on the foam, outlined with chalk, and then the cubes around the item are removed to form a secure, protective cocoon.



## + NEW DIVIDER SYSTEM

- Full Sewn Tub with Felt Exterior
- Velcro™ Compatible Nylex™ Interior
- Elastic Hold Down Straps
- Hi-Visibility Yellow Interior
- Set Includes: 1 Tub, 2 Large Dividers, 6 Medium Dividers, 3 Small Dividers

