

BUILT TO PROTECT.

LEARN MORE ABOUT + OUR PRODUCTS



www.peli.com



AVAILABLE IN 18 LANGUAGES!

www.pelicatalogue.com



www.peli.com/webinars



EMEA

EUROPE, MIDDLE EAST & AFRICA HEADQUARTERS

PELI PRODUCTS, S.L.U.
C/ Provença, 388 Planta 7
08025 • Barcelona, Spain
Tel +34 934 674 999
Fax +34 934 877 393
www.peli.com

FRANCE

PELI PRODUCTS FRANCE
S.A.S.
20/22 Rue des Petits Hôtels
75010 Paris, France
Tel +33 (0)1 44 83 95 63
Fax +33 (0)1 44 83 95 68
www.peli.com

UK

PELI HARDIGG UK
Unit 4, Brookfield Industrial Estate
Leacon Road
Ashford Kent TN23 4TU
Tel + 44 (0) 1233 895 895
Fax +44 (0) 1233 895 899
www.peli.com

U.S.A.

U.S.A. & GLOBAL HEADQUARTERS

23215 Early Avenue
Torrance, CA 90505 USA
Tel 310.326.4700
800.473.5422 (Outside CA)
Fax 310.326.3311
www.pelican.com

GERMANY

PELI PRODUCTS GERMANY GmbH
Düsseldorf Kö-Bogen
Business Center
Königsallee 2b, 5th Floor
40212 Düsseldorf, Germany
Tel +49 (0) 211 882 42 401
Fax +49 (0) 211 882 42 200
www.peli.com

UAE

PELICAN PRODUCTS FZE
JAFZA One Building A office 1511/1512
Jebel Ali Free Zone gate 5
P.O.Box 261008
Dubai – United Arab Emirates
Tel +971 4 8876550
Fax +971 4 8876549
www.pelican.com
www.peli.com

POLSKA

VANTORO
Al. Armii Krajowej 61
50-541 Wrocław
Tel. 71 792 6015
Fax 71 792 7071
www.vantoro.pl
zamowienia@vantoro.pl

PELICAN HARDIGG

147 North Main Street
South Deerfield, MA 01373
Tel (800) 542 73 44
Fax (413) 665 8330
www.pelican.com

* We also have offices in Canada, Japan, China, Australia, South Korea and India

INJECTION MOULDED CASES - PELI LIMITED LIFETIME* GUARANTEE

Peli Products, S.L.U. ("Peli") guarantees its injection moulded products for a lifetime* against breakage or defects in workmanship. Peli™ injection molded cases are guaranteed to be watertight to a depth of 3.3 feet (1 meter) for 30 minutes (IP 67) if properly closed with undamaged o-ring in place unless otherwise stated. To the extent permitted by law, Peli's liability is limited to the case and not its contents or foam. All warranty claims of any nature are barred if the case has been altered, damaged or in any way physically changed, or subjected to abuse, misuse, negligence or accident.

For complete warranty details, see www.peli.com/warranty

* Lifetime Guarantee not applicable where prohibited by law.



PELI™ CASES CATALOGUE



MILITARY GRADE PROTECTION



DUST PROTECTION



WATERTIGHT

Follow us on:



©2017 Peli Products, S.L.U. All trademarks are registered and/or unregistered trademarks of Pelican Products, Inc., its subsidiaries and/or affiliates. All details included in this catalogue are correct when printed but for most updated information please visit www.peli.com and www.pelicatalogue.com.
Part No. 0030-000-101E JAN 17



Check out our 40 Years of Protection video:



LIFETIME GUARANTEE* - PROVEN FOR OVER 40 YEARS

TABLE + OF CONTENTS

FEATURES	3
PROTECTION SOLUTIONS	4-5
PELI CASES	
Memory Card & Micro Cases	6-7
Small Cases	8
Laptop & Tablet Cases	9-11
Medium Cases	12-13
Large Cases	14-17
Long Cases	18-19
Cases Specifications	20-23
Case Accessories	22-23



Dominik Bac and Tomasz Kozik (Poland),
Arctic expedition team

FEATURES

+ STRONGER BY DESIGN

The Peli Protector Case™ uses an open cell core and solid wall construction, which is actually stronger and lighter than a solid core wall. Travel light with heavy protection. And you know it's a Peli™ Case by the distinctive dual band top surface. Stainless steel pins are used for hinges and handles. The Double-Throw latches are smarter and easier to open: it's the classic 'C' clamp design with a secondary movement that works like a pry bar to start the release and offers plenty of leverage to open with a light pull.




+ TESTED

The Peli™ Case design is the result of multiple generations of refinement. This evolution is proven through a battery of rigorous lab tests including drop, vibration, leak, heat and dust tests.



+ EASY RIDING

Stainless steel ball bearing wheels (on selected cases) last longer and ride smoother. The nylon hub adjacent to the stainless steel resists heat. Result: less wear and tear on the polyurethane tire.



+ REINFORCED PADLOCK PROTECTORS

Stainless steel reinforced padlock protectors provide added strength and extra security against cutting and theft.



+ WATERTIGHT

The secret is the tongue and groove fit with a polymer o-ring acting as a waterproof seal.



+ EXTRA PROTECTION

Peli's Pick N Pluck™ foam lets you customise the interior according to your gear. An easy, do-it-yourself system: layers of foam are pre-scored in tiny cubes. Simply measure your equipment over the grid and pluck away.



+ COOL UNDER PRESSURE

The Automatic Pressure Equalisation Valve releases built-up air pressure while keeping water molecules out, resulting in a watertight case that is even easier to open.



VISIT WWW.PELI.COM FOR FURTHER INFORMATION



PELI™ CASE PROTECTION SOLUTIONS

Peli™ Cases are available empty or with any of the following protection solutions.

+ PICK N PLUCK™ FOAM

An easy, do-it-yourself system for the interior of the case. Layers of foam are pre-scored in 1,27 cm or 2,54 cm cubes. Simply lay your equipment on the foam, tape or chalk to mark the foam, and pluck away. Always allow at least 2,5 cm of foam between your equipment and the case wall.

The following cases ship with solid foam instead of Pick N Pluck™ Foam: 1700, 1720, 1750



+ CUSTOM FOAM SOLUTIONS

Custom foam and extreme solutions such as deck mount suspension systems will keep your delicate items protected on the inside.



+ PADDED DIVIDERS

An alternative to Peli™ foam is our optional Padded Divider Sets. The compartments are connected with Velcro® so you can easily change the configuration according to your needs.



+ TREKPAK™ DIVIDERS*

The TrekPak™ system uses pre-installed wall sections, divider panels, locking pins and an infallible cutting tool. Just lay your gear in the case, measure and cut the divider sections and lock them in place with the steel U-pins.

* Trekpak™ is available for the following models: 1510, 1550, 1560, 1600, 1610, 1650



+ LID ORGANISERS

Made of simulated leather or ballistic nylon with nylon zippers. A wide variety of pocket sizes protect and keep your gear organised. They install easily with Velcro® strips (included).



CASE CONTENTS NOT INCLUDED



+ PANEL FRAMES

Many Peli™ cases can be adapted for use with electronic interface panels by using a Panel Frame. Pre-drilled holes and stainless steel screws make fabricating a custom case a fast and accurate proposition.

A polymer o-ring seals the panel so the base of the case remains watertight, even with the lid open.



- O-ring
- Panel Frame
- Attachment Hardware

PELI™ CASE AVAILABLE PANEL FRAME CASES

CAT. NO.	INTERIOR DIMENSIONS inches/cm LxWxH	EXTERIOR DIMENSIONS inches/cm LxWxH
1120	7.46 x 4.96 x 3.33" (18.5 x 12.2 x 8.5 cm)	8.41 x 6.76 x 3.87" (21.4 x 17.2 x 9.8 cm)
1150	8.49 x 5.99 x 3.75" (21 x 14.7 x 9.5 cm)	9.44 x 7.80 x 4.29" (24 x 19.8 x 10.9 cm)
1200	9.25 x 7.12 x 4.12" (23.5 x 18.1 x 10.5 cm)	10.62 x 9.68 x 4.87" (27 x 24.6 x 12.4 cm)
1300	9.17 x 7.00 x 6.12" (23.3 x 17.8 x 15.5 cm)	10.62 x 9.68 x 6.87" (27 x 24.6 x 17.4 cm)
1400	11.81 x 8.87 x 5.18" (30 x 22.5 x 13.2 cm)	13.37 x 11.62 x 6.00" (33.9 x 29.5 x 15.2 cm)
1430	13.56 x 5.76 x 11.70" (34.4 x 14.6 x 29.7 cm)	16.40 x 8.71 x 13.15" (41.6 x 22.1 x 33.4 cm)
1450	14.66 x 10.24 x 6.12" (37.2 x 26 x 15.5 cm)	16.54 x 13.03 x 6.84" (42 x 33.1 x 17.4 cm)
1470	15.70 x 10.70 x 3.87" (39.9 x 27.2 x 9.8 cm)	16.88 x 13.23 x 4.47" (42.9 x 33.6 x 11.3 cm)
1490	17.75 x 11.37 x 4.12" (45.1 x 28.9 x 10.5 cm)	19.87 x 13.93 x 4.68" (50.4 x 35.4 x 11.9 cm)
1500	16.75 x 11.18 x 6.12" (42.5 x 28.4 x 15.5 cm)	18.50 x 14.06 x 6.93" (47 x 35.7 x 17.6 cm)
1520	18.06 x 12.89 x 6.72" (45.9 x 32.7 x 17.1 cm)	19.78 x 15.77 x 7.41" (50.2 x 40 x 18.8 cm)
1550	18.43 x 14.00 x 7.62" (46.8 x 35.5 x 19.3 cm)	27.20 x 27.50 x 16.30 (52.4 x 42.8 x 20.6 cm)

+ ELECTRONIC INSTALLATIONS

Peli™ Case allows customisation for electronics. The copolymer material can be machined, drilled and sanded smooth. This makes the Peli™ Case suitable for use with bulkhead connectors.



CASE CONTENTS NOT INCLUDED

+ WE CUSTOMISE YOUR LOGO

Personalise your case with your company logo or have your name engraved on the nameplate. Logos can be applied in multiple colours as a Mylar® decal or as a vibrant fade-resistant, scratch-resistant hot-stamped ink.



MEMORY CARD & MICRO CASES

From small sensitive components to smartphones, protect your gear from the elements in a Memory Card Case or Micro Case from Peli™.



- + Water resistant seal
- + Lightweight insert liner absorbs shock and protects memory cards
- + Made of tough Polycarbonate resin



0915 CASE

INTERNAL DIMS:
12.2 x 5.7 x 1.4 cm
(4.79" x 2.25" x 0.55")

EXTERNAL DIMS:
14.1 x 8.3 x 2.2 cm
(5.55" x 3.27" x 0.85")

LID/BOTTOM DEPTH:
N/A

WEIGHT:
0.1 kg (.22 lbs.) WITH LINER



0945 CASE

INTERNAL DIMS:
12.2 x 5.7 x 1.4 cm
(4.79" x 2.25" x 0.55")

EXTERNAL DIMS:
14.1 x 8.3 x 2.2 cm
(5.55" x 3.27" x 0.85")

LID/BOTTOM DEPTH:
N/A

WEIGHT:
0.1 kg (.21 lbs.) WITH LINER



0955 CASE

INTERNAL DIMS:
12.2 x 5.7 x 1.4 cm
(4.79" x 2.25" x 0.55")

EXTERNAL DIMS:
14.1 x 8.3 x 2.2 cm
(5.55" x 3.27" x 0.85")

LID/BOTTOM DEPTH:
N/A

WEIGHT:
0.1 kg (0.22 lbs.)



1010 MICRO CASE

INTERNAL DIMS:
11.1 x 7.3 x 4.3 cm
(4.37" x 2.87" x 1.68")

EXTERNAL DIMS:
14.9 x 10.3 x 5.4 cm
(5.88" x 4.06" x 2.12")

LID/BOTTOM DEPTH:
1.8 cm / 2.4 cm
(0.69" / 0.94")

WEIGHT:
0.19 kg (0.41 lbs.) WITH FOAM
0.18 kg (0.4 lbs.) NO FOAM

■ ■ ■ *



1015 MICRO CASE

INTERNAL DIMS:
13.1 x 6.7 x 3.5 cm
(5.14" x 2.64" x 1.37")

EXTERNAL DIMS:
17 x 9.9 x 4.7 cm
(6.68" x 3.88" x 1.86")

LID/BOTTOM DEPTH:
1.1 cm / 2.4 cm
(0.43" / 0.94")

WEIGHT:
0.21 kg (0.46 lbs.)

■ ■



i1015 MICRO CASE

INTERNAL DIMS:
13.1 x 6.7 x 3.5 cm
(5.14" x 2.64" x 1.37")

EXTERNAL DIMS:
17 x 9.9 x 4.7 cm
(6.68" x 3.88" x 1.86")

LID/BOTTOM DEPTH:
1.1 cm / 2.4 cm
(0.43" / 0.94")

WEIGHT:
0.22 kg (0.49 lbs.)

■



External headphone jack lets you listen to your player while case is closed.

1030 MICRO CASE

INTERNAL DIMS:
16.2 x 6.7 x 5.2 cm
(6.37" x 2.62" x 2.06")

EXTERNAL DIMS:
19 x 9.8 x 6.2 cm
(7.50" x 3.87" x 2.43")

LID/BOTTOM DEPTH:
1.8 cm / 3.2 cm
(0.69" / 1.25")

WEIGHT:
0.28 kg (0.61 lbs.) WITH FOAM
0.27 kg (0.6 lbs.) NO FOAM

■ ■ ■ *



1050 MICRO CASE

INTERNAL DIMS:
16 x 9.3 x 7 cm
(6.31" x 3.68" x 2.75")

EXTERNAL DIMS:
19.1 x 12.9 x 7.9 cm
7.50" x 5.06" x 3.12"

LID/BOTTOM DEPTH:
1.8 cm / 4.9 cm
(0.69" / 1.94")

WEIGHT:
0.38 kg (0.83 lbs.) WITH FOAM
0.37 kg (0.81 lbs.) NO FOAM

■ ■ ■ *



1020 MICRO CASE

INTERNAL DIMS:
13.5 x 9 x 4.3 cm
(5.31" x 3.56" x 1.68")

EXTERNAL DIMS:
17.3 x 12.1 x 5.4 cm
(6.82" x 4.75" x 2.12")

LID/BOTTOM DEPTH:
1.8 cm / 2.4 cm (0.69" / 0.94")

WEIGHT:
0.25 kg (0.56 lbs.) WITH FOAM
0.25 kg (0.55 lbs.) NO FOAM

■ ■ ■ *



1040 MICRO CASE

INTERNAL DIMS:
16.5 x 9.8 x 4.4 cm
(6.50" x 3.87" x 1.75")

EXTERNAL DIMS:
19 x 12.8 x 5.4 cm
(7.50" x 5.06" x 2.12")

LID/BOTTOM DEPTH:
1.8 cm / 2.4 cm
(0.69" / 0.94")

WEIGHT:
0.32 kg (0.71 lbs.) WITH FOAM
0.32 kg (0.7 lbs.) NO FOAM

■ ■ ■ *



1060 MICRO CASE

INTERNAL DIMS:
21 x 10.8 x 5.7 cm
8.25" x 4.25" x 2.25"

EXTERNAL DIMS:
23.8 x 14.1 x 6.7 cm
(9.37" x 5.56" x 2.62")

LID/BOTTOM DEPTH:
1.8 cm / 3.7 cm
(0.69" / 1.44")

WEIGHT:
0.47 kg (1.03 lbs.) WITH FOAM
0.45 kg (1 lbs.) NO FOAM

■ ■ ■ *



SMALL CASES

Lightweight, but extremely strong; compact, yet fully capable. Perfect for valuable gear like hand tools and small to medium electronic components, hand held GPS systems, and DSLR cameras. All small cases are available empty or with pre-scored Pick N Pluck™ foam.



LAPTOP & TABLET CASES

The Peli line of tablet and laptop cases feature revolutionary design, construction and durability. Peli HardBack™ cases are available in many sizes and insert options. Moulded plush shock absorbing liner protects from impact and won't scratch your device—superior protection for your office on the go!



1120 CASE

INTERNAL DIMS:

18.5 x 12.1 x 8.5 cm
7.29" x 4.78" x 3.33"

EXTERNAL DIMS:

21.4 x 17.2 x 9.8 cm
(8.41" x 6.76" x 3.87")

LID/BOTTOM DEPTH:

1.3 cm / 6.5 cm (0.50" / 2.56")

WEIGHT:

0.65 kg (1.43 lbs.) WITH FOAM
0.61 kg (1.34 lbs.) NO FOAM



1150 CASE

INTERNAL DIMS:

21.1 x 14.7 x 9.5 cm
8.29" x 5.79" x 3.75"

EXTERNAL DIMS:

24 x 19.8 x 10.9 cm
(9.44" x 7.80" x 4.29")

LID/BOTTOM DEPTH:

1.9 cm / 7.3 cm (0.75" / 2.87")

WEIGHT:

0.79 kg (1.75 lbs.) WITH FOAM
0.73 kg (1.61 lbs.) NO FOAM



1170 CASE

INTERNAL DIMS:

26.8 x 15.3 x 8 cm
(10.54" x 6.04" x 3.16")

EXTERNAL DIMS:

29.6 x 21.2 x 9.6 cm
(11.64" x 8.34" x 3.78")

LID/BOTTOM DEPTH:

2.7 cm / 5.3 cm
(1.06" / 2.08")

WEIGHT:

0.95 kg (2.10 lbs.) WITH FOAM
0.89 kg (1.96 lbs.) NO FOAM



1200 CASE

INTERNAL DIMS:

23.5 x 18.1 x 10.5 cm
(9.25" x 7.12" x 4.12")

EXTERNAL DIMS:

27 x 24.6 x 12.4 cm
(10.62" x 9.68" x 4.87")

LID/BOTTOM DEPTH:

3 cm / 7.4 cm (1.18" / 2.93")

WEIGHT:

1.3 kg (2.87 lbs.) WITH FOAM
1.2 kg (2.65 lbs.) NO FOAM



1300 CASE

INTERNAL DIMS:

23.3 x 17.8 x 15.5 cm
(9.17" x 7.00" x 6.12")

EXTERNAL DIMS:

27 x 24.6 x 17.4 cm
(10.62" x 9.68" x 6.87")

LID/BOTTOM DEPTH:

3 cm / 12.5 cm (1.18" / 4.93")

WEIGHT:

1.6 kg (3.53 lbs.) WITH FOAM
1.4 kg (3.09 lbs.) NO FOAM



1400 CASE

INTERNAL DIMS:

30.1 x 22.8 x 13.1 cm
(11.87" x 8.97" x 5.15")

EXTERNAL DIMS:

34.7 x 29.5 x 14.6 cm
(13.68" x 11.61" x 5.75")

LID/BOTTOM DEPTH:

3 cm / 10.2 cm (1.18" / 4.00")

WEIGHT:

2 kg (4.41 lbs.) WITH FOAM
1.8 kg (3.97 lbs.) NO FOAM



1055CC HARDBACK™ CASE

INTERNAL DIMS:

21.7 x 14 x 2.2 cm
(8.55" x 5.52" x 0.85")

EXTERNAL DIMS:

23.9 x 17.8 x 3.1 cm
9.42" x 7.02" x 1.24"

LID/BOTTOM DEPTH:

1.1 cm (0.43")

WEIGHT:

0.4 kg (0.82 lbs.) WITH FOAM



i1065 HARDBACK™ CASE

INTERNAL DIMS:

25.3 x 19.7 x 2.1 cm
(9.96" x 7.76" x 0.81")

EXTERNAL DIMS:

27.6 x 23.6 x 3.1 cm
(10.86" x 9.28" x 1.24")

LID/BOTTOM DEPTH:

1 cm (0.41")

WEIGHT:

0.7 kg (1.51 lbs.) WITH FOAM



1075 HARDBACK™ CASE

INTERNAL DIMS:

28.2 x 20.1 x 4.1 cm
(11.11" x 7.92" x 1.63")

EXTERNAL DIMS:

31.4 x 24.8 x 5.4 cm
(12.38" x 9.75" x 2.13")

LID/BOTTOM DEPTH:

2.1 cm (0.81")

WEIGHT:

0.7 kg (1.54 lbs.) WITH FOAM
0.6 kg (1.41 lbs.) NO FOAM



1065CC HARDBACK™ CASE

INTERNAL DIMS:

25.3 x 19.7 x 2.1 cm
(9.96" x 7.76" x 0.81")

EXTERNAL DIMS:

27.6 x 23.6 x 3.1 cm
(10.86" x 9.28" x 1.24")

LID/BOTTOM DEPTH:

1 cm (0.41")

WEIGHT:

0.6 kg (1.25 lbs.) WITH FOAM



1070CC HARDBACK™ CASE

INTERNAL DIMS:

32.5 x 22.7 x 1.8 cm
(12.80" x 8.95" x 0.72")

EXTERNAL DIMS:

38.8 x 30.4 x 4.1 cm
(15.29" x 11.96" x 1.6")

LID/BOTTOM DEPTH:

0.9 cm (0.36")

WEIGHT:

1.3 kg (2.80 lbs.) WITH FOAM
1.1 kg (2.32 lbs.) NO FOAM



1075CC HARDBACK™ CASE

INTERNAL DIMS:

28.2 x 20.1 x 4.1 cm
(11.11" x 7.92" x 1.63")

EXTERNAL DIMS:

31.4 x 24.8 x 5.4 cm
(12.38" x 9.75" x 2.13")

LID/BOTTOM DEPTH:

2.1 cm (0.81")

WEIGHT:

0.7 kg (1.54 lbs.) WITH FOAM
0.6 kg (1.41 lbs.) NO FOAM



*Other colours and configurations available upon minimum quantities. Check with your Customer Service representative for further details.

CASE CONTENTS NOT INCLUDED

CASE CONTENTS NOT INCLUDED

i1075 HARDBACK™ CASE

INTERNAL DIMS:
28.2 x 20.1 x 4.1 cm
(11.11" x 7.92" x 1.63")

EXTERNAL DIMS:
31.4 x 24.8 x 5.4 cm
(12.38" x 9.75" x 2.13")

LID/BOTTOM DEPTH:
2.1 cm (0.81")

WEIGHT:
1.2 kg (2.54 lbs) WITH FOAM
0.6 kg (1.41 lbs) NO FOAM

**1085CC HARDBACK™ CASE**

INTERNAL DIMS:
36.3 x 26.3 x 5 cm
(14.29" x 10.37" x 1.97")

EXTERNAL DIMS:
39.7 x 31.5 x 6.4 cm
15.64" x 12.41" x 2.50"

LID/BOTTOM DEPTH:
2.5 cm (0.99")

WEIGHT:
1.3 kg (2.89 lbs) WITH FOAM

**1095CC HARDBACK™ CASE**

INTERNAL DIMS:
40.1 x 28.3 x 5.2 cm
(15.78" x 11.16" x 2.06")

EXTERNAL DIMS:
50.5 x 35.4 x 11.9 cm
19.87" x 13.93" x 4.68"

LID/BOTTOM DEPTH:
2.6 cm (1.03")

WEIGHT:
1.5 kg (3.29 lbs) WITH FOAM

**1490 CASE**

INTERNAL DIMS:
45.1 x 28.9 x 10.5 cm
(17.75" x 11.37" x 4.12")

EXTERNAL DIMS:
50.4 x 35.4 x 11.9 cm
(19.87" x 13.93" x 4.68")

LID/BOTTOM DEPTH:
3.8 cm / 6.7 cm (1.50" / 2.62")

WEIGHT:
2.95 kg (6.5 lbs.) WITH FOAM
2.48 kg (5.47 lbs.) NO FOAM

**1085 HARDBACK™ CASE**

INTERNAL DIMS:
36.3 x 26.3 x 5 cm
(14.29" x 10.37" x 1.97")

EXTERNAL DIMS:
39.7 x 31.5 x 6.3 cm
(15.64" x 12.41" x 2.50")

LID/BOTTOM DEPTH:
2.5 cm (0.99")

WEIGHT:
1.4 kg (3.10 lbs) WITH FOAM
1.2 kg (2.65 lbs) NO FOAM

**1095 HARDBACK™ CASE**

INTERNAL DIMS:
40.1 x 28.3 x 5.2 cm
(15.78" x 11.16" x 2.06")

EXTERNAL DIMS:
42.9 x 33.6 x 11.4 cm
16.88" x 13.23" x 4.47"

LID/BOTTOM DEPTH:
2.6 cm (1.03")

WEIGHT:
1.6 kg (3.49 lbs) WITH FOAM
1.4 kg (3.05 lbs) NO FOAM

**1470 CASE**

INTERNAL DIMS:
39.9 x 27.2 x 9.8 cm
(15.70" x 10.70" x 3.87")

EXTERNAL DIMS:
42.9 x 33.6 x 11.3 cm
(16.88" x 13.23" x 4.47")

LID/BOTTOM DEPTH:
3.5 cm / 6 cm (1.37" / 2.37")

WEIGHT:
2.5 kg (5.51 lbs.) WITH FOAM
1.94 kg (4.28 lbs.) NO FOAM

**1490CC1 CASE**

INTERNAL DIMS:
45.1 x 28.9 x 10.5 cm
(17.75" x 11.37" x 4.12")

EXTERNAL DIMS:
50.4 x 35.4 x 11.9 cm
(19.87" x 13.93" x 4.68")

LID/BOTTOM DEPTH:
3.8 cm / 6.7 cm (1.50" / 2.62")

WEIGHT:
2.95 kg (6.5 lbs.) WITH FOAM
2.48 kg (5.47 lbs.) NO FOAM



CASE CONTENTS NOT INCLUDED

1490CC2 CASE

INTERNAL DIMS:
45.1 x 28.9 x 10.5 cm
(17.75" x 11.37" x 4.12")

EXTERNAL DIMS:
50.5 x 35.4 x 11.9 cm
(19.87" x 13.93" x 4.68")

LID/BOTTOM DEPTH:
3.8 cm / 6.7 cm (1.50" / 2.62")

WEIGHT:
2.95 kg (6.5 lbs.) WITH FOAM
2.48 kg (5.47 lbs.) NO FOAM

**1495CC1 CASE**

INTERNAL DIMS:
47.9 x 33.3 x 9.7 cm
(18.87" x 13.12" x 3.81")

EXTERNAL DIMS:
54.9 x 43.8 x 12.4 cm
(21.62" x 17.25" x 4.87")

LID/BOTTOM DEPTH:
2.8 cm / 6.8 cm (1.12" / 2.68")

WEIGHT:
5.03 kg (11.1 lbs.)

■ *

**1430 TOP LOADER CASE**

INTERNAL DIMS:
34.4 x 14.6 x 29.7 cm
(13.56" x 5.76" x 11.70")

EXTERNAL DIMS:
41.7 x 22.1 x 33.4 cm
(16.40" x 8.71" x 13.15")

LID/BOTTOM DEPTH:
5.1 cm / 24.6 cm (2.00" / 9.70")

WEIGHT:
2.95 kg (6.5 lbs.) WITH FOAM
2.54 kg (5.6 lbs.) NO FOAM

■ *

**1495 CASE**

INTERNAL DIMS:
47.9 x 33.3 x 9.7 cm
(18.87" x 13.12" x 3.81")

EXTERNAL DIMS:
54.9 x 43.8 x 12.4 cm
(21.62" x 17.25" x 4.87")

LID/BOTTOM DEPTH:
2.8 cm / 6.8 cm (1.12" / 2.68")

WEIGHT:
3.8 kg (8.37 lbs.) WITH FOAM
3.28 kg (7.23 lbs.) NO FOAM

**1495CC2 CASE**

INTERNAL DIMS:
47.9 x 33.3 x 9.7 cm
(18.87" x 13.12" x 3.81")

EXTERNAL DIMS:
54.9 x 43.8 x 12.4 cm
(21.62" x 17.25" x 4.87")

LID/BOTTOM DEPTH:
2.8 cm / 6.8 cm (1.12" / 2.68")

WEIGHT:
4.08 kg (8.99 lbs.)

■

**1440 TOP LOADER CASE**

INTERNAL DIMS:
43.4 x 19.1 x 40.6 cm
(17.10" x 7.50" x 16.00")

EXTERNAL DIMS:
50 x 30.5 x 45.7 cm
(19.70" x 12.00" x 18.00")

LID/BOTTOM DEPTH:
5.1 cm / 35.5 cm (2.00" / 14.00")

WEIGHT:
7.48 kg (16.5 lbs.) WITH FOAM
6.58 kg (14.5 lbs.) NO FOAM

■ *

**CRUSHED ICE OPTIONAL**

**SURVIVAL
+ STORIES**

We chose the best gear that we could get our hands on, including Peli™ boxes to safeguard our camera gear, radios and satellite telephone. At 81° North latitude, one of our plastic kayaks, with a Peli™ box mounted on deck, became caught in the current-driven ice pack and was thoroughly steamrolled. Many items loaded inside the kayak were crushed, but the Peli™ deck box emerged through it all unscathed.


Steve Smith, Arctic explorer

CASE CONTENTS NOT INCLUDED

*Other colours and configurations available upon minimum quantities. Check with your Customer Service representative for further details.

MEDIUM CASES

Mobility with room for protecting larger gear or multiple instruments and accessories. Interior options are available for extra protection. Selected models meet carry-on luggage specifications.* Most cases are available empty, with foam or padded dividers. See chart on page 20.



Look for this icon for wheels on selected models.

*Check with your airline for exact measurement requirements



1500 CASE Similarly sized Pelic Storm Case: iM2300

INTERNAL DIMS:
42.8 x 28.6 x 15.5 cm
(16.84" x 11.27" x 6.09")

EXTERNAL DIMS:
47.1 x 35.7 x 17.5 cm
(18.54" x 14.05" x 6.89")

LID/BOTTOM DEPTH:
4.6 cm / 10.9 cm (1.81" / 4.31")

WEIGHT:
3.2 kg (7.05 lbs.) WITH FOAM
2.9 kg (6.39 lbs.) NO FOAM



1510M CASE

INTERNAL DIMS:
50.2 x 27.9 x 19.3 cm
(19.75" x 11.00" x 7.60")

EXTERNAL DIMS:
59.8 x 36.5 x 27 cm
(23.55" x 14.36" x 10.62")

LID/BOTTOM DEPTH:
4.5 cm / 14.7 cm (1.79" / 5.79")

WEIGHT:
7.39 kg (16.3 lbs.) NO FOAM



1510 CASE Similarly sized Pelic Storm Case: iM2500

INTERNAL DIMS:
50.1 x 27.9 x 19.3 cm
(19.75" x 11.00" x 7.60")

EXTERNAL DIMS:
55.9 x 35.1 x 22.9 cm
(22.00" x 13.81" x 9.00")

LID/BOTTOM DEPTH:
4.5 cm / 14.7 cm (1.79" / 5.79")

WEIGHT:
6.17 kg (13.6 lbs.) WITH FOAM
5.44 kg (11.99 lbs.) NO FOAM



1510 LOC CASE Similarly sized Pelic Storm Case: iM2500

INTERNAL DIMS:
50.1 x 27.9 x 19.3 cm
(19.75" x 11.00" x 7.60")

EXTERNAL DIMS:
50.2 x 27.9 x 19.3 cm
(19.75" x 11.00" x 7.60")

LID/BOTTOM DEPTH:
4.5 cm / 14.7 cm (1.79" / 5.79")

WEIGHT:
6.17 kg (13.6 lbs.)



1450 CASE Similarly sized Pelic Storm Case: iM2200

INTERNAL DIMS:
37.4 x 26 x 15.4 cm
(14.72" x 10.22" x 6.08")

EXTERNAL DIMS:
40.9 x 33.1 x 17.5 cm
(16.10" x 13.03" x 6.88")

LID/BOTTOM DEPTH:
4.4 cm / 10.8 cm (1.75" / 4.25")

WEIGHT:
2.9 kg (6.39 lbs.) WITH FOAM
2.5 kg (5.51 lbs.) NO FOAM



1460 CASE

INTERNAL DIMS:
47.1 x 25.2 x 27.7 cm
(18.54" x 9.92" x 10.92")

EXTERNAL DIMS:
53 x 32.3 x 32.4 cm
(20.85" x 12.73" x 12.75")

LID/BOTTOM DEPTH:
12.5 cm / 15.3 cm (4.91" / 6.01")

WEIGHT:
5.66 kg (12.48 lbs.) WITH FOAM
3.97 kg (8.75 lbs.) NO FOAM



1460 TOOL CASE

INTERNAL DIMS:
47.1 x 25.2 x 27.7 cm
(18.54" x 9.92" x 10.92")

EXTERNAL DIMS:
53 x 32.3 x 32.4 cm
(20.85" x 12.73" x 12.75")

LID/BOTTOM DEPTH:
12.5 cm / 15.3 cm
(4.91" / 6.01")

WEIGHT:
5.9 kg (13 lbs.) WITH TRAY ASSEMBLY



1460 EMS CASE

INTERNAL DIMS:
47.1 x 25.2 x 27.7 cm
(18.54" x 9.92" x 10.92")

EXTERNAL DIMS:
52.9 x 32.3 x 32.4 cm
(20.85" x 12.73" x 12.75")

LID/BOTTOM DEPTH:
12.5 cm / 15.3 cm (4.91" / 6.01")

WEIGHT:
8.26 kg (18.2 lbs.) WITH TRAY ASSEMBLY



1510 SC CASE

INTERNAL DIMS:
50.2 x 27.9 x 19.3 cm
(19.75" x 11.00" x 7.60")

EXTERNAL DIMS:
55.9 x 35.1 x 22.9 cm
(22.00" x 13.81" x 9.00")

LID/BOTTOM DEPTH:
4.5 cm / 14.7 cm (1.79" / 5.79")

WEIGHT:
6.17 kg (13.6 lbs.)



1510 LFC CASE

INTERNAL DIMS:
50.1 x 27.9 x 19.3 cm
(19.75" x 11.00" x 7.60")

EXTERNAL DIMS:
55.9 x 35.1 x 22.9 cm
(22.00" x 13.81" x 9.00")

LID/BOTTOM DEPTH:
4.5 cm / 14.7 cm
(1.79" / 5.79")

WEIGHT:
6.17 kg (13.6 lbs.)



1520 CASE Similarly sized Pelic Storm Case: iM2400

INTERNAL DIMS:
44.9 x 31.8 x 17.1 cm
(17.68" x 12.53" x 6.73")

EXTERNAL DIMS:
49.9 x 39.3 x 19.1 cm
(19.65" x 15.49" x 7.53")

LID/BOTTOM DEPTH:
4.6 cm / 12.5 cm (1.81" / 4.93")

WEIGHT:
4.24 kg (9.35 lbs.) WITH FOAM
3.76 kg (8.29 lbs.) NO FOAM



1550 CASE Similarly sized Pelic Storm Case: iM2600

INTERNAL DIMS:
47.3 x 36 x 19.6 cm
(18.63" x 14.18" x 7.71")

EXTERNAL DIMS:
52.5 x 43.5 x 21.6 cm
(20.66" x 17.12" x 8.51")

LID/BOTTOM DEPTH:
4.4 cm / 14.9 cm (1.75" / 5.87")

WEIGHT:
5.4 kg (11.9 lbs.) WITH FOAM
4.8 kg (10.58 lbs.) NO FOAM



*Other colours and configurations available upon minimum quantities. Check with your Customer Service representative for further details.

CASE CONTENTS NOT INCLUDED

CASE CONTENTS NOT INCLUDED

*Other colours and configurations available upon minimum quantities. Check with your Customer Service representative for further details.

LARGE CASES

Designed for extreme protection during transport and storage. Customisable interiors allow for extra protection and inventory control. Selected models feature retractable handles, extra wide grips and sturdy casters for efficient mobility.



PELICAN LARGE CASES

1560 CASE

INTERNAL DIMS:
50.6 x 38 x 22.9 cm
(19.92" x 14.98" x 9.00")

EXTERNAL DIMS:
56 x 45.5 x 26.5 cm
(22.07" x 17.92" x 10.42")

LID/BOTTOM DEPTH:
5.1 cm / 17.8 cm (2.00" / 7.00")

WEIGHT:
9.07 kg (20 lbs.) WITH FOAM
7.71 kg (17 lbs.) NO FOAM



1560M CASE

INTERNAL DIMS:
50.6 x 38 x 22.9 cm
(19.92" x 14.98" x 9.00")

EXTERNAL DIMS:
60.4 x 46.5 x 30.7 cm
(23.78" x 18.33" x 12.08")

LID/BOTTOM DEPTH:
5.1 cm / 17.8 cm (2.00" / 7.00")

WEIGHT:
9.66 kg (21.3 lbs.) NO FOAM



1560LOC CASE

INTERNAL DIMS:
50.6 x 38 x 22.9 cm
(19.92" x 14.98" x 9.00")

EXTERNAL DIMS:
56 x 45.5 x 26.5 cm
(22.07" x 17.92" x 10.42")

LID/BOTTOM DEPTH:
5.1 cm / 17.8 cm (2.00" / 7.00")

WEIGHT:
9.07 kg (20 lbs.) WITH FOAM
7.71 kg (17 lbs.) NO FOAM



1560SC CASE

INTERNAL DIMS:
50.6 x 38 x 22.9 cm
(19.92" x 14.98" x 9.00")

EXTERNAL DIMS:
56 x 45.5 x 26.5 cm
(22.07" x 17.92" x 10.42")

LID/BOTTOM DEPTH:
5.1 cm / 17.8 cm (2.00" / 7.00")

WEIGHT:
9.07 kg (20 lbs.) WITH FOAM
7.71 kg (17 lbs.) NO FOAM



*Other colours and configurations available upon minimum quantities. Check with your Customer Service representative for further details.

CASE CONTENTS NOT INCLUDED

1560LFC CASE

INTERNAL DIMS:
50.6 x 38 x 22.9 cm
(19.92" x 14.98" x 9.00")

EXTERNAL DIMS:
56 x 45.5 x 26.5 cm
(22.07" x 17.92" x 10.42")

LID/BOTTOM DEPTH:
5.1 cm / 17.8 cm (2.00" / 7.00")

WEIGHT:
9.07 kg (20 lbs.) WITH FOAM
7.71 kg (17 lbs.) NO FOAM



1610 CASE

INTERNAL DIMS:
55.1 x 42.2 x 26.8 cm
(21.68" x 16.62" x 10.56")

EXTERNAL DIMS:
62.8 x 49.7 x 30.3 cm
(24.71" x 19.58" x 11.93")

LID/BOTTOM DEPTH:
5.2 cm / 21.6 cm (2.06" / 8.50")

WEIGHT:
10.2 kg (22.49 lbs.) WITH FOAM
9.1 kg (20 lbs.) NO FOAM



1600 CASE

Similarly sized Pelican Storm Case: iM2700

INTERNAL DIMS:
54.6 x 42 x 20.2 cm
(21.51" x 16.54" x 7.95")

EXTERNAL DIMS:
61.8 x 49.4 x 22.2 cm
(24.35" x 19.46" x 8.75")

LID/BOTTOM DEPTH:
4.4 cm / 15.5 cm
(1.75" / 6.12")

WEIGHT:
6.4 kg (14.11 lbs.) WITH FOAM
5.9 kg (13 lbs.) NO FOAM



1610M CASE

INTERNAL DIMS:
55.3 x 42.4 x 27 cm
(21.78" x 16.69" x 10.62")

EXTERNAL DIMS:
66.5 x 58.4 x 34.7 cm
(26.20" x 23.00" x 13.68")

LID/BOTTOM DEPTH:
5.2 cm / 21.8 cm (2.05" / 8.57")

WEIGHT:
11.93 kg (26.3 lbs.) NO FOAM



1620 CASE

INTERNAL DIMS:
54.3 x 41.4 x 31.9 cm
(21.37" x 16.31" x 12.56")

EXTERNAL DIMS:
63 x 49.2 x 35.2 cm
(24.81" x 19.37" x 13.87")

LID/BOTTOM DEPTH:
5.2 cm / 26.7 cm (2.06" / 10.50")

WEIGHT:
11.8 kg (26.01 lbs.) WITH FOAM
11.1 kg (24.47 lbs.) NO FOAM



1620M CASE

INTERNAL DIMS:
54.5 x 41.7 x 31.8 cm
(21.48" x 16.42" x 12.54")

EXTERNAL DIMS:
66.5 x 58.4 x 39.6 cm
(26.20" x 23.00" x 15.61")

LID/BOTTOM DEPTH:
5.1 cm / 26.7 cm
(2.01" / 10.53")

WEIGHT:
12.7 kg (28 lbs.) NO FOAM



INTACT AFTER MASSIVE EXPLOSION

SURVIVAL STORIES

My team and I were first responders to a terrorist attack on a hotel in Islamabad, Pakistan. As part of our recovery effort at the blast site, we 'repatriated' one of our armored vehicles. Inside the vehicle, which was in the immediate impact zone of the SVBIED, we discovered an unscathed 'Model 1640 Pelican Transport Case™'. The case stood up against a massive explosion and flying shrapnel. Seeing how well this product withstood this type of abuse, I can say that you have found yourself several new lifetime customers!

US Federal Agent

CASE CONTENTS NOT INCLUDED

*Other colours and configurations available upon minimum quantities. Check with your Customer Service representative for further details.

SUPERSTORM PROOF

The plane hit with such force that it sheared the left wing and float right off and, as the plane rapidly sunk, everyone was able to escape out the exits. For over nine hours, the plane was submerged some 6-8 feet under water, loosely held to the right pontoon! When we were finally allowed to recover our gear, I was planning for the worst, because the water damage on impact had destroyed just about everyone's gear. But when I opened the lid on my Peli™ 1650 case, I was astonished to find that there was very little water inside and everything was intact!

Tim Cothren, wildlife photographer

1650 CASE Similarly sized Peli Storm Case: iM2950

INTERNAL DIMS:
72.2 x 44.2 x 27 cm
(28.41" x 17.40" x 10.64")

EXTERNAL DIMS:
80.1 x 52.1 x 31.7 cm
(31.55" x 20.51" x 12.47")

LID/BOTTOM DEPTH:
4.6 cm / 22.4 cm
(1.81" / 8.84")

WEIGHT:
12.73 kg (28.06 lbs.) WITH FOAM
10.9 kg (24.03 lbs.) NO FOAM



1670 CASE

INTERNAL DIMS:
71.3 x 41.9 x 23.3 cm
(28.10" x 16.49" x 9.19")

EXTERNAL DIMS:
78.8 x 49.2 x 28.4 cm
(31.04" x 19.39" x 11.17")

LID/BOTTOM DEPTH:
4.6 cm / 18.8 cm (1.80" / 7.39")

WEIGHT:
11.8 kg (26 lbs.) WITH FOAM
10.4 kg (23 lbs.) NO FOAM



1630 CASE

INTERNAL DIMS:
70.4 x 53.3 x 39.4 cm
(27.70" x 20.98" x 15.50")

EXTERNAL DIMS:
79.5 x 61.5 x 44.4 cm
(31.28" x 24.21" x 17.48")

LID/BOTTOM DEPTH:
8.3 cm / 30.8 cm (3.25" / 12.14")

WEIGHT:
16.33 kg (36 lbs.) WITH FOAM
14.06 kg (31 lbs.) NO FOAM



1640 CASE

INTERNAL DIMS:
60.2 x 60.9 x 35.3 cm
(23.70" x 24.00" x 13.90")

EXTERNAL DIMS:
69.1 x 69.8 x 41.4 cm
(27.20" x 27.50" x 16.30")

LID/BOTTOM DEPTH:
5.1 cm / 30.2 cm (2.00" / 11.90")

WEIGHT:
17.24 kg (38 lbs.) WITH FOAM
15.42 kg (34 lbs.) NO FOAM



1660 CASE

INTERNAL DIMS:
71.6 x 50.2 x 44.8 cm
(28.18" x 19.75" x 17.62")

EXTERNAL DIMS:
80 x 58.1 x 48.3 cm
(31.50" x 22.87" x 19.00")

LID/BOTTOM DEPTH:
8.9 cm / 35.9 cm
(3.50" / 14.12")

WEIGHT:
19.1 kg (42.11 lbs.) WITH FOAM
15.5 kg (34.17 lbs.) NO FOAM



1690 CASE

INTERNAL DIMS:
76.5 x 63.8 x 39 cm
(30.13" x 25.13" x 15.36")

EXTERNAL DIMS:
84.9 x 72.1 x 44.8 cm
(33.43" x 28.40" x 17.65")

LID/BOTTOM DEPTH:
7.3 cm / 30.8 cm (2.86" / 12.14")

WEIGHT:
19.5 kg (43 lbs.) WITH FOAM
15.42 kg (34 lbs.) NO FOAM



1730 CASE

INTERNAL DIMS:
86.3 x 60.9 x 31.7 cm
(34.00" x 24.00" x 12.50")

EXTERNAL DIMS:
94.1 x 69.1 x 36.5 cm
(37.05" x 27.20" x 14.37")

LID/BOTTOM DEPTH:
6.3 cm / 25.4 cm (2.50" / 10.00")

WEIGHT:
17.24 kg (38 lbs.) WITH FOAM
13.61 kg (30 lbs.) NO FOAM



0340 CASE

INTERNAL DIMS:
45.7 x 45.7 x 45.7 cm
(18.00" x 18.00" x 18.00")

EXTERNAL DIMS:
52 x 52 x 48.9 cm
(20.50" x 20.50" x 19.25")

LID/BOTTOM DEPTH:
11.4 cm / 34.3 cm (4.50" / 13.50")

WEIGHT:
13.5 kg (29.76 lbs.) WITH FOAM
10.89 kg (24 lbs.) NO FOAM



0370 CASE

INTERNAL DIMS:
60.9 x 60.9 x 60.9 cm
(24.00" x 24.00" x 24.00")

EXTERNAL DIMS:
67.3 x 67.3 x 64.1 cm
(26.50" x 26.50" x 25.25")

LID/BOTTOM DEPTH:
8.9 cm / 48.2 cm
(3.50" / 19.00")

WEIGHT:
18.6 kg (41 lbs.) WITH FOAM
14.5 kg (31.97 lbs.) NO FOAM



0500 CASE

INTERNAL DIMS:
88.8 x 46.9 x 64.1 cm
(34.95" x 18.45" x 25.25")

EXTERNAL DIMS:
101.5 x 59.6 x 72.8 cm
(39.95" x 23.45" x 28.65")

LID/BOTTOM DEPTH:
5.7 cm / 58.4 cm
(2.25" / 23.00")

WEIGHT:
26.58 kg (58.6 lbs.) WITH FOAM
22.68 kg (50 lbs.) NO FOAM



1780 CASE

INTERNAL DIMS:
104.4 x 54.7 x 37.8 cm
(41.12" x 21.54" x 14.88")

EXTERNAL DIMS:
114 x 64.3 x 41.9 cm
(44.90" x 25.32" x 16.50")

LID/BOTTOM DEPTH:
19.2 cm / 18.5 cm (7.58" / 7.30")

WEIGHT:
22.2 kg (49 lbs.) WITH FOAM
17.4 kg (38.4 lbs.) NO FOAM



0350 CASE

INTERNAL DIMS:
50.8 x 50.8 x 50.8 cm
(20.00" x 20.00" x 20.00")

EXTERNAL DIMS:
57.1 x 56.9 x 54 cm
(22.50" x 22.43" x 21.25")

LID/BOTTOM DEPTH:
12.7 cm / 38.1 cm (5.00" / 15.00")

WEIGHT:
14.52 kg (32.01 lbs.) WITH FOAM
11.79 kg (25.99 lbs.) NO FOAM



0450 CASE

INTERNAL DIMS:
Varies by drawer
configuration

EXTERNAL DIMS:
60.8 x 37.5 x 45.6 cm
(23.95" x 14.75" x 17.95")

LID/BOTTOM DEPTH:
N/A

WEIGHT:
14.97 kg (33 lbs.) NO DRAWERS
18.82 kg (41.5 lbs.) WITH DRAWERS



0550 CASE

INTERNAL DIMS:
120.8 x 61.1 x 44.9 cm
(47.57" x 24.07" x 17.68")

EXTERNAL DIMS:
129.6 x 69.9 x 57.9 cm
(51.05" x 27.54" x 22.79")

LID/BOTTOM DEPTH:
8.1 cm / 36.8 cm
(3.19" / 14.49")

WEIGHT:
43.09 kg (95 lbs.) WITH FOAM
35.92 kg (79.2 lbs.) NO FOAM



shown with optional
caster wheels

*Other colours and configurations available upon minimum quantities. Check with your Customer Service representative for further details.

CASE CONTENTS NOT INCLUDED

CASE CONTENTS NOT INCLUDED

*Other colours and configurations available upon minimum quantities. Check with your Customer Service representative for further details.

LONG CASES

Ideal for weapons, but are also used by industrial workers for instruments and gear. Equipped with sturdy polyurethane wheels for ease of transport. See chart on page 22.



All Long Cases are equipped with wheels

1700 CASE Similarly sized Pelic Storm Case: iM3100

INTERNAL DIMS:
90.8 x 34.3 x 13.3 cm
(35.75" x 13.50" x 5.25")

EXTERNAL DIMS:
96.8 x 40.6 x 15.5 cm
(38.12" x 16.00" x 6.12")

LID/BOTTOM DEPTH:
4.4 cm / 8.9 cm (1.75" / 3.50")

WEIGHT:
7.7 kg (16.98 lbs.) WITH FOAM
7.3 kg (16.09 lbs.) NO FOAM



1720 CASE Similarly sized Pelic Storm Case: iM3200

INTERNAL DIMS:
106.7 x 34.3 x 13.3 cm
(42.00" x 13.50" x 5.25")

EXTERNAL DIMS:
112.7 x 40.6 x 15.5 cm
(44.37" x 16.00" x 6.12")

LID/BOTTOM DEPTH:
4.4 cm / 8.9 cm (1.75" / 3.50")

WEIGHT:
8.6 kg (18.96 lbs.) WITH FOAM
7.6 kg (16.76 lbs.) NO FOAM



1740 CASE

INTERNAL DIMS:
104.1 x 32.8 x 30.8 cm
(40.98" x 12.92" x 12.13")

EXTERNAL DIMS:
112.2 x 40.9 x 35.6 cm
(44.16" x 16.09" x 14.00")

LID/BOTTOM DEPTH:
6.5 cm / 24.3 cm (2.56" / 9.57")

WEIGHT:
12.25 kg (27 lbs.) WITH FOAM
9.98 kg (22 lbs.) NO FOAM



1750 CASE Similarly sized Pelic Storm Case: iM3300

INTERNAL DIMS:
128.3 x 34.3 x 13.3 cm
(50.50" x 13.50" x 5.25")

EXTERNAL DIMS:
134.6 x 40.6 x 15.5 cm
(53.00" x 16.00" x 6.12")

LID/BOTTOM DEPTH:
4.4 cm / 8.9 cm
(1.75" / 3.50")

WEIGHT:
11.6 kg (25.57 lbs.) WITH FOAM
10.7 kg (23.59 LBS.) NO FOAM



1770 CASE

INTERNAL DIMS:
138.6 x 39.6 x 21.9 cm
(54.58" x 15.58" x 8.63")

EXTERNAL DIMS:
145.8 x 46.9 x 28.5 cm
(57.42" x 18.48" x 11.23")

LID/BOTTOM DEPTH:
4.8 cm / 17.1 cm
(1.88" / 6.75")

WEIGHT:
16.33 kg (36 lbs.) WITH FOAM
13.15 kg (29 lbs.) NO FOAM



1780 CASE

INTERNAL DIMS:
104.4 x 54.7 x 37.8 cm
(41.12" x 21.54" x 14.88")

EXTERNAL DIMS:
114 x 64.3 x 41.9 cm
(44.90" x 25.32" x 16.50")

LID/BOTTOM DEPTH:
19.2 cm / 18.5 cm
(7.58" / 7.30")

WEIGHT:
22.2 kg (49 lbs.) WITH FOAM
17.4 kg (38.4 lbs.) NO FOAM



THE YAK HAS A LOT TO SAY...

SURVIVAL + STORIES

During a long trekking expedition in Zanskar and Ladakh (in Northern India) we had all our stuff on the back of a yak. About half way through the trip one of the yaks overbalanced and fell from the track into the water. The yak was unhurt beyond a couple of scratches, but the case had been dragged underwater, banged on rocks for a good while and dragged out again. I opened the case and discovered that my Hasselblad®, my spare Nikon® body, several lenses, dozens of films and a DAT recorder and tapes for my audio work were all completely unharmed and dry!

Mike Harding, BBC presenter, travel, writer, poet, playwright. www.mikeharding.co.uk

PELI CASE SPECIFICATIONS AND FEATURES



CAT. NO.	INTERIOR DIMENSIONS (cm)	EXTERIOR DIMENSIONS (cm)	LID DEPTH	BOTTOM DEPTH	WEIGHT WITH FOAM	WEIGHT WITHOUT FOAM	BUOYANCY MAXIMUM	TEMPERATURE RANGE (Min/Max)	CERTIFICATES	FEATURES						COLOURS	CAT. NO.	
										Padded Dividers	Rubberised Handles	Panel Frames	Personalised Nameplate	Lid Organiser	Wheels			
MICRO CASES	0915 0945 0955	12.2 x 5.7 x 1.4	14.1 x 8.3 x 2.2	N/A	N/A	N/A	N/A	N/A									MC/SWC	
	1010	11.1 x 7.3 x 4.3	14.9 x 10.3 x 5.4	1.8 cm	2.4 cm	0.19 kg	0.18 kg	0.23 kg	-23 / 93° C	IP67							1010	
	1015	13.1 x 6.7 x 3.5	17 x 9.9 x 4.7	1.1 cm	2.4 cm	N/A	0.21 kg	0.54 kg	N/A	-							1015	
	i1015	13.1 x 6.7 x 3.5	17 x 9.9 x 4.7	1.1 cm	2.4 cm	N/A	0.22 kg	0.54 kg	N/A	-							i1015	
	1020	13.5 x 9 x 4.3	17.3 x 12.1 x 5.4	1.8 cm	2.4 cm	0.25 kg	0.25 kg	0.34 kg	-23 / 93° C	IP67							1020	
	1030	16.2 x 6.7 x 5.2	19 x 9.8 x 6.2	1.8 cm	3.2 cm	0.28 kg	0.27 kg	0.45 kg	-23 / 93° C	IP67							1030	
	1040	16.5 x 9.8 x 4.4	19 x 12.8 x 5.4	1.8 cm	2.4 cm	0.32 kg	0.32 kg	0.57 kg	-23 / 93° C	IP67							1040	
	1050	16 x 9.3 x 7	19.1 x 12.9 x 7.9	1.8 cm	4.9 cm	0.38 kg	0.37 kg	0.79 kg	-23 / 93° C	IP67							1050	
	1060	21 x 10.8 x 5.7	23.8 x 14.1 x 6.7	1.8 cm	3.7 cm	0.47 kg	0.45 kg	1.13 kg	-23 / 93° C	IP67							1060	
SMALL CASES	1120	18.5 x 12.1 x 8.5	21.4 x 17.2 x 9.8	1.3 cm	6.5 cm	0.65 kg	0.61 kg	2.27 kg	-40 / 99° C	IP67 • DEF STAN 81-41/STANAG 4280			O				1120	
	1150	21.1 x 14.7 x 9.5	24 x 19.8 x 10.9	1.9 cm	7.3 cm	0.79 kg	0.73 kg	3.63 kg	-40 / 99° C	IP67 • DEF STAN 81-41/STANAG 4280			O				1150	
	1170	26.8 x 15.3 x 8	29.6 x 21.2 x 9.6	2.7 cm	5.3 cm	0.95 kg	0.89 kg	3.29 kg	-40 / 99° C	IP67							1170	
	1200	23.5 x 18.1 x 10.5	27 x 24.6 x 12.4	3 cm	7.4 cm	1.3 kg	1.2 kg	5.45 kg	-40 / 99° C	IP67 • DEF STAN 81-41/STANAG 4280			O				1200	
	1300	23.3 x 17.8 x 15.5	27 x 24.6 x 17.4	3 cm	12.5 cm	1.6 kg	1.4 kg	5.6 kg	-40 / 99° C	IP67 • DEF STAN 81-41/STANAG 4280			O				1300	
	1400	30.1 x 22.8 x 13.1	34.7 x 29.5 x 14.6	3 cm	10.2 cm	2 kg	1.8 kg	9.1 kg	-40 / 99° C	IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280 • ATA 300			O	O			1400	
LAPTOP & TABLET CASES	1055CC	21.7 x 14 x 2.2	23.9 x 17.8 x 3.1	1.1 cm	1.1 cm	0.4 kg	N/A	N/A	-23 / 49° C								1055CC	
	1065CC	25.3 x 19.7 x 2.1	27.6 x 23.6 x 3.1	1 cm	1 cm	0.6 kg	N/A	N/A	-23 / 49° C								1065CC	
	i1065	25.3 x 19.7 x 2.1	27.6 x 23.6 x 3.1	1 cm	1 cm	0.7 kg	N/A	N/A	-23 / 49° C								i1065	
	1070CC	32.5 x 22.7 x 1.8	38.8 x 30.4 x 4.1	0.9 cm	0.9 cm	1.3 kg	1.1 kg	N/A	-23 / 49° C								1070CC	
	1075	28.2 x 20.1 x 4.1	31.4 x 24.8 x 5.4	2.1 cm	2.1 cm	0.7 kg	0.6 kg	N/A	-23 / 49° C								1075	
	1075CC	28.2 x 20.1 x 4.1	31.4 x 24.8 x 5.4	2.1 cm	2.1 cm	0.7 kg	0.6 kg	N/A	-23 / 49° C								1075CC	
	i1075	28.2 x 20.1 x 4.1	31.4 x 24.8 x 5.4	2.1 cm	2.1 cm	1.2 kg	0.6 kg	N/A	-23 / 49° C	IP57							i1075	
	1085	36.3 x 26.3 x 5	39.7 x 31.5 x 6.3	2.5 cm	2.5 cm	1.4 kg	1.2 kg	N/A	-23 / 49° C								1085	
	1085CC	36.3 x 26.3 x 5	39.7 x 31.5 x 6.4	2.5 cm	2.5 cm	1.3 kg	N/A	N/A	-23 / 49° C								1085CC	
	1095	40.1 x 28.3 x 5.2	43.6 x 33.6 x 6.6	2.6 cm	2.6 cm	1.6 kg	1.4 kg	N/A	-23 / 49° C								1095	
	1095CC	40.1 x 28.3 x 5.2	43.6 x 33.6 x 6.6	2.6 cm	2.6 cm	1.5 kg	N/A	N/A	-23 / 49° C								1095CC	
	1470	39.9 x 27.2 x 9.8	42.9 x 33.6 x 11.4	3.5 cm	6 cm	2.5 kg	1.94 kg	11.3 kg	-40 / 99° C	MIL C-4150J			S	O	O		1470	
	1490	45.1 x 28.9 x 10.5	50.5 x 35.4 x 11.9	3.8 cm	6.7 cm	2.95 kg	2.48 kg	18.6 kg	-40 / 99° C	DEF STAN 81-41/STANAG 4280			S	O	O	O	1490	
	1490CC1	45.1 x 28.9 x 10.5	50.4 x 35.4 x 11.9	3.8 cm	6.7 cm	2.9 kg	2.5 kg	18.6 kg	-40 / 99° C	DEF STAN 81-41/STANAG 4280			S	O	O	S	1490CC1	
	1490CC2	45.1 x 28.9 x 10.5	50.5 x 35.4 x 11.9	3.8 cm	6.7 cm	2.9 kg	2.5 kg	18.6 kg	-40 / 99° C	DEF STAN 81-41/STANAG 4280			S	O	O	S	1490CC2	
	1495	47.9 x 33.3 x 9.7	54.9 x 43.8 x 12.4	2.8 cm	6.8 cm	3.8 kg	3.28 kg	20.5 kg	-40 / 99° C	IP67 • DEF STAN 81-41/STANAG 4280			S	O			1495	
1495CC1	47.9 x 33.3 x 9.7	54.9 x 43.8 x 12.4	2.8 cm	6.8 cm	5 kg	N/A	20.5 kg	-40 / 99° C	IP67 • DEF STAN 81-41/STANAG 4280			S	O	S		1495CC1		
1495CC2	47.9 x 33.3 x 9.7	54.9 x 43.8 x 12.4	2.8 cm	6.8 cm	4.1 kg	N/A	20.5 kg	-40 / 99° C	IP67 • DEF STAN 81-41/STANAG 4280			S	O	S		1495CC2		
1430	34.4 x 14.6 x 29.7	41.7 x 22.1 x 33.4	5.1 cm	24.6 cm	2.95 kg	2.54 kg	26.8 kg	-40 / 99° C	IP67 • DEF STAN 81-41/STANAG 4280			O	S	O	O	O	1430	
1440	43.4 x 19.1 x 40.6	50 x 30.5 x 45.7	5.1 cm	35.5 cm	7.48 kg	6.58 kg	68.0 kg	-40 / 99° C	IP67 • DEF STAN 81-41/STANAG 4280			O	S	O	O	S	1440	
MEDIUM CASES	1450	37.4 x 26 x 15.4	40.9 x 33.1 x 17.5	4.4 cm	10.8 cm	2.9 kg	2.5 kg	13.61 kg	-40 / 99° C	IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280			O	S	O	O	1450	
	1460	47.1 x 25.2 x 27.7	53 x 32.3 x 32.4	12.5 cm	15.3 cm	5.66 kg	3.97 kg	37.19 kg	-40 / 99° C	IP67			S				1460	
	1500	42.8 x 28.6 x 15.5	47.1 x 35.7 x 17.5	4.6 cm	10.9 cm	3.2 kg	2.9 kg	22.68 kg	-40 / 99° C	IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280 • ATA 300			O	S	O	O	O	1500
	1510	50.1 x 27.9 x 19.3	55.9 x 35.1 x 22.9	4.5 cm	14.7 cm	6.17 kg	5.44 kg	29.1 kg	-40 / 99° C	IP67 • DEF STAN 81-41/STANAG 4280			O	S	O	O	S	1510
	1510M	50.2 x 27.9 x 19.3	59.8 x 36.5 x 27	4.5 cm	14.7 cm	N/A	7.39 kg	N/A	-40 / 99° C	IP57			O	S	O	O	S	1510M
	1520	44.9 x 31.8 x 17.1	49.9 x 39.3 x 19.1	4.6 cm	12.5 cm	4.24 kg	3.76 kg	18.14 kg	-40 / 99° C	IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280			O	S	O	O	O	1520
1550	47.3 x 36 x 19.6	52.5 x 43.5 x 21.6	4.4 cm	14.9 cm	5.4 kg	4.8 kg	31.7 kg	-40 / 99° C	IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280 • ATA 300			O	S	O	O		1550	

*Other colours and configurations available upon minimum quantities. Check with your Customer Service representative for further details.

PELI CASE SPECIFICATIONS AND FEATURES



CAT. NO.	INTERIOR DIMENSIONS (cm)	EXTERIOR DIMENSIONS (cm)	LID DEPTH	BOTTOM DEPTH	WEIGHT WITH FOAM	WEIGHT WITHOUT FOAM	BUOYANCY MAXIMUM	TEMPERATURE RANGE (Min/Max)	CERTIFICATES	FEATURES	COLOURS	CAT. NO.
1560	50.6 x 38 x 22.9	56 x 45.5 x 26.5	5.1 cm	17.8 cm	7.71 kg	9.07 kg	52.16 kg	-40 / 99° C	IP67 • DEF STAN 81-41/STANAG 4280	O S	■ ■ ■ ■ *	1560
1560M	50.6 x 38 x 22.9	60.4 x 46.5 x 30.7	5.1 cm	17.8 cm	N/A	9.66 kg	N/A	-40 / 99° C	IP57	O S	■	1560M
1600	54.6 x 42 x 20.3	61.9 x 49.2 x 22.3	4.4 cm	15.5 cm	6.4 kg	5.9 kg	53.07 kg	-40 / 99° C	IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280 • ATA 300	O S	■ ■ ■ ■ *	1600
1610	54.6 x 42 x 20.2	61.8 x 49.4 x 22.2	5.2 cm	21.6 cm	10.2 kg	9.07 kg	54.4 kg	-40 / 99° C	IP67 • DEF STAN 81-41/STANAG 4280	O S	■ *	1610
1610M	55.3 x 42.4 x 27	66.5 x 58.4 x 34.7	5.2 cm	21.8 cm	N/A	11.93 kg	N/A	-40 / 99° C	IP57	O S	■	1610M
1620	54.3 x 41.4 x 31.9	63 x 49.2 x 35.2	5.2 cm	26.7 cm	11.8 kg	11.1 kg	68 kg	-40 / 99° C	IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280	O S	■ *	1620
1620M	54.5 x 41.7 x 31.8	66.5 x 58.4 x 39.6	5.1 cm	26.7 cm	N/A	12.7 kg	N/A	-40 / 99° C	IP57	O S	■	1620M
1630	70.4 x 53.3 x 39.4	79.5 x 61.5 x 44.4	8.3 cm	30.8 cm	16.33 kg	14.06 kg	159 kg	-40 / 99° C	IP67 • DEF STAN 81-41/STANAG 4280 • ATA 300 • MIL C-4150J	O	■ *	1630
1640	60.2 x 61 x 35.3	69.1 x 69.8 x 41.4	5.1 cm	30.2 cm	17.24 kg	15.42 kg	166 kg	-40 / 99° C	IP67 • DEF STAN 81-41/STANAG 4280	O	■ *	1640
1650	72.2 x 44.2 x 27	80.1 x 52.1 x 31.7	4.6 cm	22.4 cm	12.73 kg	10.9 kg	82.1 kg	-40 / 99° C	IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280 • ATA 300	O S	■ *	1650
1660	71.6 x 50.2 x 44.8	80 x 58.1 x 48.3	8.9 cm	35.9 cm	19.1 kg	15.5 kg	159 kg	-40 / 99° C	IP67 • DEF STAN 81-41/STANAG 4280	O	■ *	1660
1670	71.3 x 41.9 x 23.3	78.8 x 49.2 x 28.4	4.6 cm	18.8 cm	11.8 kg	10.4 kg	82.6 kg	-40 / 99° C	-		■	1670
1690	76.5 x 63.8 x 39	84.9 x 72.1 x 44.8	7.3 cm	30.8 cm	19.5 kg	15.42 kg	186 kg	-40 / 99° C	IP67 • DEF STAN 81-41/STANAG 4280	O	■ *	1690
1730	86.3 x 60.9 x 31.7	95.2 x 68.9 x 36.5	6.3 cm	25.4 cm	17.24 kg	13.61 kg	189 kg	-40 / 99° C	IP67		■ *	1730
1780	104.4 x 54.7 x 37.8	114 x 64.3 x 41.9	19.2 cm	18.5 cm	22.20 kg	17.42 kg	226.8 kg	-40 / 99° C	DEF STAN 81-41/STANAG 4280		■ *	1780
0340	45.7 x 45.7 x 45.7	52 x 52 x 48.9	11.4 cm	34.3 cm	13.5 kg	10.89 kg	100 kg	-40 / 99° C	IP67 • DEF STAN 81-41 /STANAG 4280	O	■ *	0340
0350	50.8 x 50.8 x 50.8	57.1 x 56.9 x 54	12.7 cm	38.1 cm	14.52 kg	11.79 kg	122 kg	-40 / 99° C	IP67 • DEF STAN 81-41 /STANAG 4280	O	■ *	0350
0370	60.9 x 60.9 x 60.9	67.3 x 67.3 x 64.1	12.7 cm	48.2 cm	18.6 kg	14.5 kg	211 kg	-40 / 99° C	IP67 • DEF STAN 81-41 /STANAG 4280	O	■ *	0370
0450	Varies by drawer configuration	60.8 x 37.5 x 45.6	N/A	N/A	18.82 kg	14.97 kg	N/A	N/A	MIL-STD-810F		■	0450
0500	88.8 x 46.9 x 64.1	101.5 x 59.6 x 72.8	5.7 cm	58.4 cm	26.58 kg	22.68 kg	354 kg	-40 / 99° C	-		■	0500
0550	120.8 x 61.1 x 44.9	129.6 x 69.9 x 57.9	8.1 cm	36.8 cm	43.09 kg	35.92 kg	371.95 kg	-40 / 99° C	IP57		■	0550
1700	90.8 x 34.3 x 13.3	96.8 x 40.6 x 15.5	4.4 cm	8.9 cm	7.7 kg	7.3 kg	62.1 kg	-40 / 99° C	IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280		■ *	1700
1720	106.7 x 34.3 x 13.3	112.7 x 40.6 x 15.5	4.4 cm	8.9 cm	8.6 kg	7.6 kg	73 kg	-40 / 99° C	DEF STAN 81-41/STANAG 4280		■ *	1720
1740	104.1 x 32.8 x 30.8	112.2 x 40.9 x 35.6	6.5 cm	24.3 cm	12.25 kg	9.98 kg	121.11 kg	-40 / 99° C	IP66		■ *	1740
1750	128.3 x 34.3 x 13.3	134.6 x 40.6 x 15.5	4.4 cm	8.9 cm	11.6 kg	10.7 kg	85 kg	-40 / 99° C	IP67 • DEF STAN 81-41/STANAG 4280		■ *	1750
1770	138.6 x 39.6 x 21.9	145.8 x 46.9 x 28.5	4.8 cm	17.1 cm	16.33 kg	13.15 kg	127.01 kg	N/A	-		■ *	1770
1780	104.4 x 54.7 x 37.8	114 x 64.3 x 41.9	19.2 cm	18.5 cm	22.20 kg	17.4 kg	226.8 kg	-40 / 99° C	DEF STAN 81-41/STANAG 4280		■ *	1780

PROTECTOR CASE™ COLOURS AVAILABLE



S = Standard feature
O = Optional accessory

*Other colours and configurations available upon minimum quantities. Check with your Customer Service representative for further details.

CASE ACCESSORIES

From custom nameplates and padded shoulder straps, to TSA Locks and humidity indicators, Peli™ offers a broad range of case accessories.

Refer to www.peli.com for specific accessories available for each case model



Lid Organisers



Replacement Foam



Padded Dividers



Shoulder Straps



TSA Lock



Peli Desiccant (Silica Gel)



Nameplates



Card Holder



Caster Wheel Kit



Pallet Riser



Lid Stays